

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent of )  
Yvonne Appoldt et al. )  
Patent No.: 7,651,664 )  
Issued: January 26, 2010 )  
Title: APPARATUS AND METHOD FOR )  
PREPARING SOLUTIONS AND/OR )  
DILUTIONS IN THE LABORATORY )

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Issuance of a Certificate of Correction for the above-captioned patent is respectfully requested in accordance with the accompanying Form PTO-1050 (submitted in duplicate).

- ☒ The requisite government fee of \$ 100:
- ☐ is authorized to be charged to Deposit Account No. 02-4800; or
- ☒ charge to credit card. Form PTO-2038 is attached.
- ☐ It is believed that payment of a fee is unnecessary.  
[Enter description of documents being submitted]


The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. § 1.20(a) that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: October 13, 2010

By:

  
Scott W. Cummings  
Registration No. 41,567

Customer No. 21839  
703 836 6620

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 7,651,664  
APPLICATION NO. : 10/786,580  
ISSUE DATE : January 26, 2010  
INVENTOR(S) : Yvonne Appoldt et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

---

On the front page of the Letters Patent, under Assignee, please change:

"Mettler-Toledo GmbH" to --Mettler-Toledo AG--.

Claim 10, Column 13, Line 6, change "of electronic the pipettes," to --of electronic pipettes--.

Claim 12, Column 13, Lines 2-3, change "which controls the dosage delivery device calls," to -- which controls the electronic pipettes calls--.

Claim 22, Column 14, Line 11, change "selected device;" to --selected pipette device--.

---

MAILING ADDRESS OF SENDER:

PATENT NO. 7,651,664

BUCHANAN INGERSOLL & ROONEY PC  
P.O. Box 1404  
Alexandria, VA 22313-1404



No. of additional copies  
0

SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450